

**ASSIGNEE**

**AMENDED**

**APPLICATION FOR PERMIT**

Serial No. **12279**

**TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

FEB 3 5 1948

Date of first receipt and filing in State Engineer's office

Returned to applicant for correction

Corrected application filed

AUG 7 1948

SEP 13 1948

The undersigned Ora and Mildred S. Crawford

Name of applicant

of Carson City, County of Ormsby

State of Nevada

, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation.)

1. The source of the proposed appropriation is an underground source

Name of stream, lake, or other source

(drilled well)

(12,000 gallons per day)

2. The amount of water applied for is 0.018 second-feet.

One second-foot equals 40 miners' inches

3. The water to be used for Quasi-municipal and domestic purposes

Irrigation, power, mining, manufacturing, domestic, or other use

4. The water is to be diverted from its source at the following point:

N.  $52^{\circ} 24' 45''$  W., 1133.55 feet from the southeast corner of section

Describe as being within a 40-acre subdivision of public survey, or by course and distance to a section corner. If on unsurveyed land, it should be so stated.

31, T. 15 N., R. 20 E., M.D.B.&M.

**IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:**

(a) Number of acres to be irrigated is \_\_\_\_\_

(b) Description of land to be irrigated \_\_\_\_\_

Describe by legal subdivision, or if on unsurveyed land it should

be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.

(c) Use will begin about \_\_\_\_\_ and end about \_\_\_\_\_, of each year.  
Month Month

**IF WATER IS TO BE USED FOR POWER, MINING, STOCK WATERING, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION:**

(d) Power to be developed is \_\_\_\_\_ horsepower.

(e) Place of use Portion of SE $\frac{1}{4}$  of SE $\frac{1}{4}$  of section 31, T. 15 N.,  
R. 20 E., M.D.B.&M. Give location of place of use by legal subdivision

(f) Point of return of water to stream \_\_\_\_\_

Describe in same manner as point of diversion

(g) State number and kinds of animals to be watered \_\_\_\_\_

(h) Use will begin about Jan. 1 and end about Dec. 31, of each year.  
Month Month

(i) Remarks Water is to be used to furnish water for a service station, approximately six auto cabins, a 30-unit trailer court, one single family residence with irrigation of a small area of lawn and a family garden incidental to the single family residence.

**DESCRIPTION OF PROPOSED WORKS**

Works will consist of an electrically driven pump, pressure tank and

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water pipe line system to serve units specified under item 4(i)

is to be stored in reservoirs, it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.

5. Estimated cost of works \$1,500.00

6. Estimated time required to construct works five years

7. Remarks State construction of the service station and courts are planned, such construction to extend over a possible five-year period.

s/ Ora & Mildred S. Crawford , Applicant.

By s/ Mildred S. Crawford

Compared H.E.A.T

This sheet inspected

, Engineer.

**APPROVAL OF STATE ENGINEER**

This is to certify that I have examined the foregoing application,

and do hereby grant the same, subject to the following limitations and

conditions:

This permit is issued subject to all existing rights on the

source. It is understood that no right is given under this permit to maintain the water level in permittees well at any level higher than that necessary for a reasonable pumping lift. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount

which can be applied to beneficial use, and not to exceed 0.018

cubic feet per second, or 12000 gallons per day.

Actual construction work shall begin on or before August 15, 1949

Proof of commencement of work shall be filed before September 15, 1949

Work must be prosecuted with reasonable diligence and be completed on or before August 15, 1950

Proof of completion of work shall be filed before September 15, 1950

Application of water to beneficial use shall be made on or before

August 15, 1951 . Proof of the application of water to beneficial

use must be filed with State Engineer on or before September 15, 1951

Proof of commencement of work filed AUG 1 1949

Proof of Completion of work filed AUG 4 1953 WITNESS MY HAND AND SEAL this 26th day

PROOF OF BENEFICIAL USE FILED

SEP 1 1951

of January 1949.

Certificate No. 4709 issued 7/9/58 for 0.018 c.f.s. for 12000 gpm  
Received 4/1/58 1/1/59 1/1/59 1/1/59

Ormsby Water Crt. County, Kansas

Alfred Mervin Smith

State Engineer